




FIRSTPATH
AUTISM



Data Sheet

Community Safety Skills: Situations/Decision-Making

www.firstpathautism.com



Community Safety Skills: Situations/Decision-Making

- **Receptive Discriminative Stimulus (SD):** Can be done via sequencing cards/ visual stories and response cards: "Touch ___." "Give me ___." "Point to___."
- **Correct Response:** Child will receptively label appropriate response according to community scenarios.

- **Expressive Discriminative Stimulus (SD):** Can be done via sequencing cards/ visual stories "What should (name of person) do?" "What should YOU do?"
- **Correct Response:** Child will expressively label appropriate response according to community scenarios.

Target	Intro MT*	Mastery RR**	Target	Intro MT*	Mastery RR**
RECEPTIVE			EXPRESSIVE (you)		
1. Walk, don't run			21. Walk, don't run		
2. Ask parent permission before leaving parent's side			22. Ask parent permission before leaving parent's side		
3. when to stay in own yard			23. when to stay in own yard		
4. following community safety/ rules signs			24. following community safety/ rules signs		
5. leave strange animals alone			25. leave strange animals alone		
	Add to this list based on typical community scenarios where safety is a concern				
6.			26.		
7.			27.		
8.			28.		
9.			29.		
10.			30.		
EXPRESSIVE (others)					
11. Walk, don't run			31.		
12. Ask parent permission before leaving parent's side			32.		
13. when to stay in own yard			33.		
14. following community safety/ rules signs			34.		
15. leave strange animals alone			35.		



16.			36.		
17.			37.		
18.			38.		
19.			39.		
20.			40.		

* **Intro MT:** The date the target was introduced to the child

** **Mastery RR:** Is the date the child completed 3 consecutive random rotation trials at with 80-100% independence.

Maintenance: When all targets are mastered, reduce frequency of the presentation of the program to child systematically, ensuring that the child maintains skills by maintaining mastery scores of 80-100% before decreasing frequency further. (e.g. 5 times per week to 4 times per week for a month, to 3 times per week for a month to 2 times per week for a month, to once a week for a month, to generalized settings.)